





PILECO INC. 491 Conroe Park W. Dr. • Conroe, TX 77301


936.494.4200 tel


Sales@Pileco.com


www.Pileco.com

Bridle Bar	# T=Ton	Weight lbs. approx.	Diagram	Description
	17T	127 lbs	view diagram	Used with Direct Drive hammers
	34T	190 lbs	view diagram	
	50T	390 lbs	view diagram	Used with A104 Leads
	70T	900 lbs	view diagram	
	100T	1,980 lbs	view diagram	Used with A104-66/OS98 Leads
	170T	2,191 lbs	view diagram	Used with OS120 Leads

Bridle Bar Guided	#	Weight lbs. approx.	Lead Size	Diagram	Description
	8001612	411	U-32	view diagram	guided 70 Ton U-32
	8001600	495	U-42	view diagram	guided 70 Ton U-42

Bridle Bar Single Pick Point	#	Weight lbs. approx.	Lead Size	Diagram	Description
	8005902	723	U-26	view diagram	to lift up to D30
	8005900	966	U-32	view diagram	to lift up to D70
	8005894	1,186	U-42	view diagram	to lift up to D100
	8005919	1,276	U-48	view diagram	to lift up to D100

Bridle Bar Single Sheave Type	#	Weight lbs. approx.	Lead Size	Diagram	Description
	8004756	750	U-26	view diagram	to lift up to D30
	8004239	933	U-32	view diagram	to lift up to D70
	8005891	1,213	U-42	view diagram	to lift up to D70
	8005918	1,303	U-48	view diagram	to lift up to D70

Bridle Bar Double Sheave Type	#	Weight lbs. approx.	Lead Size	Diagram	Description
	8000249	1,335	U-42	view diagram	to lift up to D100
	8005915	1,425	U-48	view diagram	to lift up to D100